


PATENT
Attorney Docket No. MDS-013A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S): Kaufman *et al.* CONFIRMATION NO.: 2193
SERIAL NO.: 09/738,614 GROUP NO.: 1743
FILING DATE: December 15, 2000 EXAMINER: Jeffrey R. Snay
TITLE: METHODS OF MONITORING EFFECTS OF CHEMICAL AGENTS
ON A SAMPLE

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence, and any document(s) referred to as attached hereto, is/are being transmitted to the United States Patent and Trademark Office, Facsimile No. (703) 872-9306 on this 19th day of April, 2004.


William R. Haulbrook

Attached hereto are:

1. Transmittal Form (1 page);
2. Response to Restriction Requirement (2 pages); and
3. Preliminary Amendment (7 pages).

3054649

TESTA, HURWITZ & THIBEAULT, LLP

ATTORNEYS AT LAW

HIGH STREET TOWER

125 HIGH STREET

OFFICE (617) 248-7000

BOSTON, MASSACHUSETTS 02110

FAX (617) 248-7100

TELECOPY COVER SHEET

Equipment Operator Contact Number: _____ . *Please call if you do not receive all the pages.*

Date: April 19, 2004

TO: **Name:** Examiner Snay, Art Unit 1743
Company: Commissioner for Patents
Address: P.O. Box 1450
Alexandria, VA 22313-1450
Fax: (703) 872-9306
Phone: (571) 272-1264

FROM: **Sender:** William R. Haulbrook, Ph.D., Reg. No. 53,002
Number of Pages INCLUDING This Cover Sheet: 12
Client: MDS-013A (6219/19)

RECEIVED
CENTRAL FAX CENTER

APR 19 2004

OFFICIAL

Comments:

Attached is a Response to the Restriction Requirement in USSN 09/738,614, along with a Preliminary Amendment, as indicated on the attached Certificate of Facsimile Transmission.

A confirmation copy of the Response and the Preliminary Amendment is being mailed via U.S. Express Mail on even date herewith.

3054846

This facsimile is subject to attorney-client privilege and contains confidential information intended only for the person(s) named above. If you have received this facsimile in error, please notify us immediately by telephone and destroy the original transmission without making a copy.